




BIOLOX CONTOURA®

Inspired by
Anatomy

BIOLOX®
MATERIAL
MATTERS®

REFERENCES

- Faye PA, Roualdes O, Rossignol F, Hartmann DJ, Desmoulière A. Engulfment of ceramic particles by fibroblasts does not alter cell behavior. *Biomed Mater.* 2017;12(1):015023. doi:10.1088/1748-605X/aa5aa2.
- Cunningham BW, Hallab NJ, Hu N, McAfee PC. Epidural application of spinal instrumentation particulate wear debris: a comprehensive evaluation of neurotoxicity using an in vivo animal model. *J. Neurosurg. Spine.* 2013;19(3):336-350. doi:10.3171/2013.5.SPINE13166.
- Savarino L, Baldini N, Ciapetti G, Pellacani A, Giunti A. Is wear debris responsible for failure in alumina-on-alumina implants? *Acta Orthop.* 2009;80(2):162-167. doi:10.3109/17453670902876730.
- Asif IM, Williams S, Fisher J, Al-Hajjar M, Anderson J, Tipper JL. Characterisation and biocompatibility of composite ceramic particles used to manufacture ceramic-on-ceramic total hip replacements. *Front. Bioeng. Biotechnol.* 2016;00793. doi:10.3389/conf.FBIOE.2016.01.00793.
- Asif I M. *Characterisation and Biological Impact of Wear Particles from Composite Ceramic Hip Replacements.* [PhD thesis]. Leeds, UK: University of Leeds; 2018. <http://etheses.whiterose.ac.uk/20563/>.
- Krenn V, Thomas P, Thomsen M, et al. Histopathological Particle Identification (The Krenn Particle Algorithm). *CeraNews.* 2013;2:12-17.
- Grupp TM, Holderied M, Mulliez MA, et al. Biotribology of a vitamin E-stabilized polyethylene for hip arthroplasty – Influence of artificial ageing and third-body particles on wear. *Acta Biomater.* 2014;10:3068-3078. doi:10.1016/j.actbio.2014.02.052.
- Nikolaou VS, Edwards MR, Bogoch E, Schemitsch EH, Waddell JP. A prospective randomized controlled trial comparing three alternative bearing surfaces in primary total hip replacement. *J Bone Joint Surg Br.* 2012;94-B(4):459-465. doi:10.1302/0301-620X.94B4.27735.
- Piconi C, Porporati AA, Streicher RM. Ceramics in THR Bearings: Behavior under Off-Normal Conditions. *Key Engineering Materials.* 2014;631:3-7. doi:10.4028/www.scientific.net/kem.631.3.
- Trampuz A, Maiolo EM, Winkler T, Perka C. Biofilm formation on ceramic, metal and polyethylene bearing components from hip joint replacement systems. *Orthopaedic Proceedings.* 2016;98-B(SUPP 10):80-80. doi:10.1302/1358-992X.98BSUPP_10.ISTA2015-080.
- Sorrentino R, Cochis A, Azzimonti B, et al. Reduced bacterial adhesion on ceramics used for arthroplasty applications. *J Eur Ceram Soc.* 2018;38(3):963-970. doi:10.1016/j.jeurceramsoc.2017.10.008.
- Piconi C, Porporati AA, Streicher RM. Ceramics in THR Bearings: Behavior under Off-Normal Conditions. *Key Engineering Materials.* 2014;631:3-7. doi:10.4028/www.scientific.net/kem.631.3.
- Trampuz A, Maiolo EM, Winkler T, Perka C. Biofilm formation on ceramic, metal and polyethylene bearing components from hip joint replacement systems. *Orthopaedic Proceedings.* 2016;98-B(SUPP 10):80-80. doi:10.1302/1358-992X.98BSUPP_10.ISTA2015-080.
- Sorrentino R, Cochis A, Azzimonti B, et al. Reduced bacterial adhesion on ceramics used for arthroplasty applications. *J Eur Ceram Soc.* 2018;38(3):963-970. doi:10.1016/j.jeurceramsoc.2017.10.008.
- Varadarajan KM, Duffy MP, Zumbunn T, et al. Next generation soft-tissue friendly large diameter femoral head. *Seminars in Arthrop.* 2013;24(4):211-217. doi:10.1053/j.sart.2014.01.007.
- Zumbunn T, Duffy MP, Varadarajan KM, et al. Contoura: A new anatomically contoured femoral head. *CeraNews.* 2014;2:10-11.
- Varadarajan KM, Zumbunn T, Duffy MP, et al. Anatomically contoured large femoral heads can reduce iliopsoas impingement: A cadaver verification study. *Seminars in Arthrop.* 2015;26(1):28-33. doi:10.1053/j.sart.2015.04.006.
- Duffy MP, Varadarajan KM, Chan D, et al. Anatomical contouring of large diameter heads for soft-tissue relief does not alter load bearing contact area and wear performance in ceramic on poly articulation. *ORS website.* <http://www.ors.org/Transactions/60/1141.pdf>. Accessed March 06, 2020.
- Varadarajan KM, Duffy MP, Zumbunn T, et al. A new soft tissue friendly femoral head may also reduce frictional torque in ceramic-on-ceramic articulation. *ORS website.* <http://www.ors.org/Transactions/60/0921.pdf>. Accessed March 06, 2020.





BIOLOX CONTOURA®

Inspired by
Anatomy

BIOLOX®
MATERIAL
MATTERS®

REFERENCES

- Maccauro G, Cittadini A, Magnani G, et al. In vivo characterization of Zirconia Toughened Alumina material: a comparative animal study. *Int J Immunopathol Pharmacol.* 2010;23(3):841-846. doi:10.1177/039463201002300319.
- Maccauro G, Bianchino G, Sangiorgi S, et al. Development of a new zirconia-toughened alumina: promising mechanical properties and absence of in vitro carcinogenicity. *Int J Immunopathol Pharmacol.* 2009;22(3):773-779. doi:10.1177/039463200902200323.
- Tsaousi A, Jones E, Case CP. The in vitro genotoxicity of orthopaedic ceramic (Al₂O₃) and metal (CoCr alloy) particles. *Mutat Res.* 2010;697(1-2):1-9. doi:10.1016/j.mrgentox.2010.01.012.
- Esposito C, Maclean F, Campbell P, Walter WL, Walter WK, Bonar SF. Periprosthetic tissues from third generation alumina-on-alumina total hip arthroplasties. *J Arthroplasty.* 2013;28(5):860-866. doi:10.1016/j.arth.2012.10.021.
- Pitto RP, Sedel L. Periprosthetic joint infection in hip arthroplasty: is there an association between infection and bearing surface type? *Clin Orthop Relat Res.* 2016;474(10):2213-2218. doi:10.1007/s11999-016-4916-y.
- Lenguerrand E, Whitehouse MR, Beswick AD, et al. Risk factors associated with revision for prosthetic joint infection after hip replacement: a prospective observational cohort study. *Lancet Infect Dis.* 2018;18(9):1004-1014. doi:10.1016/S1473-3099(18)30755-2.
- Madanat R, Laaksonen I, Graves SE, Lorimer M, Muratoglu O, Malchau H. Ceramic bearings for total hip arthroplasty are associated with a reduced risk of revision for infection. *Hip Int.* 2018;28(3):222-226. doi:10.1177/1120700018776464.
- Bordini B, Stea S, Castagnini F, Busanelli L, Giardina F, Toni A. The influence of bearing surfaces on periprosthetic hip infections: analysis of thirty nine thousand, two hundred and six cementless total hip arthroplasties. *Int Orthop.* 2019;43(1):103-109. doi:10.1007/s00264-018-4097-2.
- Sorrentino R, Cochis A, Azzimonti B, et al. Reduced bacterial adhesion on ceramics used for arthroplasty applications. *J Eur Ceram Soc.* 2018;38(3):963-970. doi:10.1016/j.jeurceramsoc.2017.10.008.
- Beraudi A, Stea S, De Pasquale D, et al. Metal ion release: also a concern for ceramic-on-ceramic couplings? *Hip Int.* 2014;24(4):321-326. doi:10.5301/hipint.5000132.
- Kretzer JP, Mueller U, Streit MR, et al. Ion release in ceramic bearings for total hip replacement: Results from an in vitro and an in vivo study. *Int Orthop.* 2018;42(1):65-70. doi:10.1007/s00264-017-3568-1.
- Kocagöz SB, Underwood RJ, MacDonald DW, Gilbert JL, Kurtz SM. Ceramic heads decrease metal release caused by head-taper fretting and corrosion. *Clin Orthop Relat Res.* 2016;474(4):985-994. doi:10.1007/s11999-015-4683-1.
- Thomas P, Stea S. *Metal Implant Allergy and Immuno-Allergological Compatibility Aspects of Ceramic Materials.* Heidelberg, Germany: Springer-Verlag Berlin Heidelberg; 2015.
- Bergschmidt P, Bader R, Ganzer D, et al. Ceramic femoral components in total knee arthroplasty - two year follow-up results of an international prospective multi-centre study. *Open Orthop J.* 2012;6:172-178. doi:10.2174/1874325001206010172.
- Sharplin P, Wyatt MC, Rothwell A, Frampton C, Hooper G. Which is the best bearing surface for primary total hip replacement? A New Zealand Joint Registry study. *Hip Int.* 2017;28(4):352-362. doi:10.5301/hipint.5000585.
- Peters RM, Van Steenberghe LN, Stevens M, Rijk PC, Bulstra SK, Zijlstra WP. The effect of bearing type on the outcome of total hip arthroplasty. *Acta Orthop.* 2018;89(2):163-169. doi:10.1080/17453674.2017.1405669.
- Higuchi Y, Seki T, Hasegawa Y, Takegami Y, Morita D, Ishiguro N. 32-mm ceramic-on-ceramic total hip arthroplasty versus 28-mm ceramic bearings: 5- to 15-year follow-up study. *Hip Int.* 2019;29(1):65-71. doi:10.1177/1120700018760971.
- Toni A, Giardina F, Guerra G, et al. 3rd generation alumina-on-alumina in modular hip prosthesis: 13 to 18 years follow-up results. *Hip Int.* 2017;27(1):8-13. doi:10.5301/hipint.5000429.
- Kim YH, Park JW, Kulkarni SS, Kim YH. A randomised prospective evaluation of ceramic-on-ceramic and ceramic-on-highly cross-linked polyethylene bearings in the same patients with primary cementless total hip arthroplasty. *Int Orthop.* 2013;37(11):2131-2137. doi:10.1007/s00264-013-2036-9.
- Piconi C, Porporati AA, Streicher RM. Ceramics in THR bearings: behavior under off-normal Conditions. *Key Eng Mat.* 2014;631:3-7. doi:10.4028/www.scientific.net/kem.631.3.
- Lee R, Essner A, Wang A, Jaffe WL. Scratch and wear performance of prosthetic femoral head components against crosslinked UHMWPE sockets. *Wear.* 2009;267(11):1915-1921. doi:10.1016/j.wear.2009.03.034.
- De Fine M, Terrando S, Hintner M, Porporati AA, Pignatti G. Pushing Ceramic-on-Ceramic in the most extreme wear conditions: A hip simulator study. *Orthop Traumatol Surg Res.* 2020;S1877-0568(20)30184-5. doi:10.1016/j.otsr.2020.05.003.
- Caravaca C, Porporati AA, Streicher R. Wettability of bearing couples: how to prepare the surfaces. *Orthopaedic Proceedings.* 2016;98-B(SUPP 7):67.
- Panagiotidou A, Meswania J, Osman K, et al. The effect of frictional torque and bending moment on corrosion at the taper interface: an in vitro study. *Bone Joint J.* 2015;97-B(4):463-472. doi:10.1302/0301-620X.97B4.34800.
- Kurtz SM, Kocagöz SB, Hanzlik JA, et al. Do ceramic femoral heads reduce taper fretting/corrosion in hip arthroplasty? A retrieval study. *Clin Orthop Relat Res.* 2013;471(10):3270-3282. doi:10.1007/s11999-013-3096-2.
- Kurtz SM, Kocagöz S, Arnholt C, Huet R, Ueno M, Walter WL. Advances in zirconia toughened alumina biomaterials for total joint replacement. *J Mech Behav Biomed Mater.* 2014;31:107-116. doi:10.1016/j.jmbm.2013.03.022.





BIOLOX CONTOURA®

Inspired by
Anatomy

BIOLOX®
MATERIAL
MATTERS®

REFERENCES

- Vrbka M, Nečas D, Bartošik J. Determination of a friction coefficient for THA bearing couples. *Acta Chir Orthop Traumatol Cech.* 2015;82(5):341-347.
- Brockett C, Williams S, Jin Z, Isaac G, Fisher J. Friction of total hip replacements with different bearings and loading condition. *J Biomed Mater Res B Appl Biomater.* 2007;81(2):508-515. doi:10.1002/jbm.b.30691.
- Grupp TM, Holderied M, Mulliez MA, et al. Biotribology of a vitamin E-stabilized polyethylene for hip arthroplasty – Influence of artificial ageing and third-body particles on wear. *Acta Biomater.* 2014;10(7):3068–3078. doi:10.1016/j.actbio.2014.02.052.
- Nikolaou VS, Edwards MR, Bogoch E, Schemitsch EH, Waddell JP. A prospective randomized controlled trial comparing three alternative bearing surfaces in primary total hip replacement. *J Bone Joint Surg Br.* 2012;94-B(4):459-465. doi:10.1302/0301-620X.94B4.27735.
- Higuchi Y, Hasegawa Y, Seki T, Komatsu D, Ishiguro N. Significantly Lower Wear of Ceramic-on-Ceramic Bearings Than Metal-on-Highly Cross-Linked Polyethylene Bearings: A 10- to 14-Year Follow-Up Study. *J Arthroplasty.* 2016;31(6):1246-1250. doi:10.1016/j.arth.2015.12.014.
- Higuchi Y, Seki T, Morita D, Komatsu D, Takegami Y, Ishiguro N. Comparison of wear rate between ceramic-on-ceramic, metal on highly cross-linked polyethylene, and metal-on-metal bearings. *Rev Bras Ortop (Sao Paulo).* 2019;54(3):295-302. doi:10.1055/s-0039-1691762.
- Zietz C, Bergschmidt P, Lange R, Mittelmeier W, Bader R. Third-body abrasive wear of tibial polyethylene inserts combined with metallic and ceramic femoral components in a knee simulator study. *Int J Artif Organs.* 2013;36(1):47-55. doi:10.5301/ijao.5000189.
- Wyles CC, McArthur BA, Wagner ER, Houdek MT, Jimenez-Almonte JH, Trousdale RT. Ceramic femoral heads for all patients? An argument for cost containment in hip surgery. *Am J Orthop (Belle Mead NJ).* 2016;45(6):E362-E366.
- Carnes KJ, Odum SM, Troyer JL, Fehring TK. Cost analysis of ceramic heads in primary total hip arthroplasty. *J Bone Joint Surg Am.* 2016;98(21):1794-1800. doi:10.2106/JBJS.15.00831.
- Kurtz SM, Lau E, Baykal D, Odum S, Springer BD, Fehring TK. Are ceramic bearings becoming cost-effective for all patients? *J Arthroplasty.* 2018;33(5):1352-1258. doi:10.1016/j.arth.2017.12.011.
- Kurtz SM, Lau E, Baykal D, Odum SM, Springer BD, Fehring TK. Are ceramic bearings becoming cost-effective for all patients within a 90-day bundled payment period? *J Arthroplasty.* 2019;34(6):1082-1088. doi:10.1016/j.arth.2019.01.074.

BIOLOX®delta, BIOLOX®OPTION, BIOLOX® and CeramTec are registered trademarks of the CeramTec Group, Germany. BIOLOX CONTOURA® is registered in the United States by CeramTec's customers. These products are intended to be used in the United States as described in the product's labeling of CeramTec's customers.

All statements are provided for educational purposes. For product, safety, and risk information, always refer to the labeling of the legal manufacturer.

